

STANDARD TFT DISPLAY MODULE

Update: 2025/10/20

No.	Inch	TFT Part No.	Touch Panel Type	Resolution	Outline Size (mm)	Active Area (mm)	Viewing Angle	Controller IC	Interface
1	0.96"	BF096P13-01	No	80*160	13.75(H) x 28.15(V) x 1.92(T)	10.80(H) x 21.70(V)	IPS	ST7735S	SPI 4W
2		BF096P13-01A	No	80*160	13.75(H) x 28.15(V) x 1.92(T)	10.80(H) x 21.70(V)	IPS	ST7735S	SPI 4W
3		BF09613-02	No	80*160	13.90(H) x 27.95(V) x 1.50(T)	10.80(H) x 21.70(V)	IPS	ST7735	SPI 4W
4		BF09613-03	No	80*160	14.04(H) x 27.95(V) x 1.75(T)	10.80(H) x 21.70(V)	IPS	ST7735S	SPI 4W
5		BF09613-03A	No	80*160	13.50(H) x 27.95(V) x 1.50(T)	10.80(H) x 21.70(V)	IPS	ST7735S	SPI 4W
6		BF09613-04	No	80*160	13.50(H) x 27.95(V) x 1.50(T)	10.80(H) x 21.70(V)	IPS	GC9107	SPI 4W
7		BF09613-04A	No	80*160	14.04(H) x 27.95(V) x 1.75(T)	10.80(H) x 21.70(V)	IPS	GC9107	SPI 4W
8	0.99"	BF09910-01	No	40*160	8.60(H) x 29.80(V) x 1.50(T)	6.10(H) x 24.39(V)	IPS	GC9D01	SPI 4W
9	1.00"	BF1023-01	No	128*96	22.75(H) x 22.06(V) x 1.75(T)	20.35(H) x 15.26(V)	12 o'clock	ST7735S	SPI 4W
10	1.05"	BF10513-01	No	120*240	14.25(H) x 28.60(V) x 1.60(T)	11.88(H) x 23.76(V)	IPS	GC9A01	SPI 4W
11	1.06"	BF106P13-01	No	96*160	16.12(H) x 29.76(V) x 1.70(T)	13.82 x 23.04(V)	12 o'clock	ST7735S	SPI 4W
12	1.08"	BF108P13-01	No	128*220	16.12(H) x 29.76(V) x 1.55(T)	13.82 x 23.76(V)	IPS	GC9203	SPI 4W
13	1.10"	BF1113-01	No	135*240	17.60(H) x 31.00(V) x 1.60(T)	14.86(H) x 24.91(V)	IPS	ST7789	SPI 4W
14		BF1113-02	No	135*240	17.60(H) x 31.00(V) x 1.60(T)	14.86(H) x 24.91(V)	IPS	ST7789V2	SPI 4W
15	1.22"	BF12221-01	No	240*240	24.96(H) x 28.35(V) x 1.50(T)	21.96(H) x 22.01(V)	IPS	ST7789V	SPI 4W
16	1.28"	BF12824-01	No	240*240	35.60(H) x 38.10(V) x 1.60(T)	32.40φ (round)	IPS	GC9A01	SPI 4W
17		BF12812-07	No	240*240	35.60(H) x 38.10(V) x 1.50(T)	32.40φ (round)	IPS	GC9A01	SPI 4W
18		BF12830-01	No	240*240	35.60(H) x 37.74(V) x 1.56(T)	32.40φ (round)	IPS	GC9A01	MCU 8BIT / SPI 4W
19		BF12830-01C	Capacitive Touch Panel	240*240	46.00(H) x 46.00(V) x 3.09(T)	32.40φ (round)	IPS	GC9A01	MCU 8BIT / SPI 4W
20	1.30"	BF1312-01	No	240*240	26.16(H) x 29.22(V) x 1.92(T)	23.40(H) x 23.40(V)	IPS	ST7789V3	SPI / MCU
21		BF1312-01A	No	240*240	26.16(H) x 29.22(V) x 1.92(T)	23.40(H) x 23.40(V)	IPS	ST7789V	SPI / MCU
22		BF1324-01	No	240*240	26.17(H) x 29.22(V) x 1.51(T)	23.40(H) x 23.40(V)	IPS	ST7789V3	SPI / MCU
23	1.32"	BF13215-01	No	360*360	35.98(H) x 38.54(V) x 1.56(T)	33.48φ (round)	IPS	GC9C01	QSPI
24		BF13224-01	No	360*360	35.98(H) x 38.54(V) x 1.56(T)	33.48φ (round)	IPS	GC9C01	SPI 4W
25	1.40"	BF1408-01	No	128*128	29.00(H) x 34.41(V) x 2.25(T)	25.50(H) x 26.50(V)	12 o'clock	ST7735S	SPI 4W
26		BF1414-01	No	128*128	29.00(H) x 34.41(V) x 2.25(T)	25.50(H) x 26.50(V)	12 o'clock	ST7735S	SPI 4W
27		BF1416-01	No	128*128	27.90(H) x 32.64(V) x 1.58(T)	25.50(H) x 26.50(V)	6 o'clock	GC9108	SPI 4W
28		BF1418-01	No	128*128	29.50(H) x 36.50(V) x 2.45(T)	25.50(H) x 26.50(V)	12 o'clock	ST7735S	SPI 4W
29		BF1430-01	No	240*240	29.10(H) x 30.85(V) x 1.58(T)	25.20(H) x 25.20(V)	IPS	ST7789V	SPI / MCU
30	1.45"	BF1430-01C	Capacitive Touch Panel	240*240	33.84(H) x 40.71(V) x 2.96(T)	25.20(H) x 25.20(V)	IPS	ST7789V(CTP CST716)	SPI / MCU
31		BF145P12-01	No	128*128	39.46(H) x 41.58(V) x 1.56(T)	36.96φ (round)	IPS	SPD2010	MIPI
32	1.54"	BF015P24-01	No	240*240	31.52(H) x 33.72(V) x 1.47(T)	27.72(H) x 27.70(V)	IPS	ST7789V	SPI / MCU
33		BF015P24-01A	No	240*240	31.52(H) x 33.72(V) x 1.65(T)	27.72(H) x 27.70(V)	IPS	ST7789V	SPI / MCU
34		BF15415-01	No	240*240	31.52(H) x 33.72(V) x 1.92(T)	27.72(H) x 27.70(V)	IPS	ST7789T3	SPI 4W
35		BF15415-01C	Capacitive Touch Panel	240*240	37.95(H) x 44.85(V) x 3.17(T)	27.72(H) x 27.70(V)	IPS	ST7789T3 (CTP CST816D)	SPI 4W
36		BF15415-02	No	240*240	31.52(H) x 33.72(V) x 1.60(T)	27.72(H) x 27.70(V)	IPS	ST7789V-G4	SPI 4W
37	BF15415-02C	Capacitive Touch Panel	240*240	37.97(H) x 44.92(V) x 2.60(T)	27.72(H) x 27.70(V)	IPS	ST7789V-G4 (CTP CST716)	SPI 4W	
38	1.60"	BF1630-01	No	400*400	42.14(H) x 44.24(V) x 1.96(T)	39.84 φ (round)	IPS	ST7797	MIPI
39	1.70"	BF1724-01	No	240*280	30.07(H) x 37.43(V) x 1.60(T)	27.97(H) x 32.63(V)	IPS	JD9851	SPI 4W
40		BF1724-02	No	240*280	30.07(H) x 37.43(V) x 1.56(T)	27.97(H) x 32.63(V)	IPS	ST7789V2	SPI 4W
41	1.77"	BF17710-01	No	128*160	34.00(H) x 42.90(V) x 2.20(T)	28.03(H) x 35.04(V)	12 o'clock	ST7735P3	SPI 4W
42	1.78"	BF17815-01	No	320*385	30.95(H) x 40.30(V) x 1.62(T)	28.85(H) x 34.70(V)	IPS	ST7796U	SPI 3W
43	1.80"	BF1810-01	No	128*160	34.70(H) x 46.70(V) x 2.25(T)	28.03(H) x 35.04(V)	12 o'clock	ST7735S	SPI 4W
44		BF1814-01	No	128*160	34.70(H) x 46.70(V) x 2.25(T)	28.03(H) x 35.04(V)	12 o'clock	ST7735S	SPI 4W
45		BF1820-01	No	128*160	34.70(H) x 46.70(V) x 2.25(T)	28.03(H) x 35.04(V)	6 o'clock	GC9107	MCU
46		BF1820-02	No	128*160	33.30(H) x 42.90(V) x 2.20(T)	28.03(H) x 35.04(V)	12 o'clock	ST7735P3	SPI / MCU
47		BF1820-03	No	128*160	34.70(H) x 46.70(V) x 2.25(T)	28.03(H) x 35.04(V)	6 o'clock	GC9107	MCU
48		BF1824-01	No	128*160	33.00(H) x 42.00(V) x 2.30(T)	28.03(H) x 35.04(V)	12 o'clock	GC9106	SPI / MCU
49		BF1830-01	No	360*360	48.08(H) x 49.95(V) x 2.17(T)	45.68φ (round)	IPS	ST77916	/
50	2.00"	BF2012-01	No	240*320	34.60(H) x 47.80(V) x 2.13(T)	30.60(H) x 40.80(V)	IPS	ST7789V2	SPI
51		BF2022-01	No	240*320	36.20(H) x 51.80(V) x 2.45(T)	30.60(H) x 40.80(V)	6 o'clock	ST7789V-G4	MCU
52		BF2022-02	No	240*320	34.60(H) x 47.80(V) x 1.90(T)	30.60(H) x 40.80(V)	IPS	ST7789V	MCU
53		BF2022-03C	Capacitive Touch Panel	240*320	39.31(H) x 58.30(V) x 3.37(T)	30.60(H) x 40.80(V)	IPS	ST7789T3	/
54		BF2024-01	No	170*320	25.80(H) x 49.72(V) x 1.40(T)	22.67(H) x 42.72(V)	IPS	NV3030B	SPI 4W
55	BF2025-01	No	176*220	37.68(H) x 51.30(V) x 2.35(T)	31.68(H) x 39.60(V)	IPS	ST7775R	SPI	
56	2.10"	BF2130-01	No	480*480	56.18(H) x 59.71(V) x 2.26(T)	53.28φ (round)	IPS	ST7701S	MIPI
57	2.20"	BF2214-01	No	240*320	38.50(H) x 56.16(V) x 2.30(T)	33.84(H) x 45.12(V)	12 o'clock	IL19341V	SPI 4W
58		BF2214-02	No	240*320	38.04(H) x 53.67(V) x 2.50(T)	33.84(H) x 44.97(V)	6 o'clock	IL19341V	SPI
59		BF2230-01	No	240*320	39.65(H) x 56.65(V) x 2.80(T)	33.84(H) x 45.12(V)	6 o'clock	ST7789V/IL19341V	MCU
60		BF2236-01	No	176*220	41.70(H) x 56.16(V) x 2.30(T)	34.85(H) x 43.56(V)	12 o'clock	IL19225G	MCU
61	2.30"	BF2317-01	No	320*240	51.00(H) x 45.80(V) x 2.30(T)	46.75(H) x 35.06(V)	12 o'clock	IL19342C	SPI 4W
62		BF2327-01	No	320*240	51.80(H) x 45.80(V) x 2.30(T)	46.75(H) x 35.06(V)	12 o'clock	IL19342C	MCU
63	2.40"	BF2410-01	No	240*320	42.72(H) x 60.26(V) x 2.30(T)	36.72(H) x 48.96(V)	12 o'clock	ST7789V	SPI 4W
64		BF2411-01	No	240*320	42.72(H) x 60.26(V) x 2.20(T)	36.72(H) x 48.96(V)	12 o'clock	ST7789V	SPI 4W
65		BF2411-02	No	240*320	42.72(H) x 60.26(V) x 2.20(T)	36.72(H) x 48.96(V)	IPS	ST7789V	SPI 4W
66		BF2411-03	No	240*320	42.72(H) x 58.76(V) x 2.28(T)	36.71(H) x 48.96(V)	IPS	JD9853	SPI 4W
67		BF2412-01	No	240*320	42.00(H) x 57.00(V) x 2.18(T)	36.72(H) x 48.96(V)	IPS	ST7789P3	SPI 4W
68		BF2414-02R	Resistive Touch Panel	240*320	42.72(H) x 60.26(V) x 3.55(T)	36.72(H) x 48.96(V)	12 o'clock	IL19341V	SPI
69		BF2416-01	No	240*320	42.72(H) x 60.26(V) x 2.40(T)	36.72(H) x 48.96(V)	12 o'clock	ST7789T3	SPI 4W
70		BF2416-01L	No	240*320	57.80(H) x 91.80(V) x 3.55(T)	36.72(H) x 48.96(V)	12 o'clock	ST7789T3	SPI 4W
71		BF2418-01	No	240*320	42.72(H) x 60.26(V) x 2.40(T)	36.72(H) x 48.96(V)	12 o'clock	ST7789V	SPI
72		BF2424-01	No	240*320	42.72(W) x 60.26(V) x 2.20(T)	36.72(H) x 48.96(V)	IPS	ST7789V-G4	MCU Parallel 16 BIT
73	BF2424-02	No	240*320	40.44(W) x 57.00(V) x 2.10(T)	36.72(H) x 48.96(V)	IPS	ST7789V2	MCU 8BIT	
74	BF2425-01	No	240*320	42.72(H) x 58.46(V) x 2.25(T)	36.72(H) x 48.96(V)	6 o'clock	GC9306N	SPI	
75	BF2430-01	No	480*640	42.72(W) x 60.26(V) x 2.20(T)	36.72(H) x 48.96(V)	IPS	GC9503	MIPI	

STANDARD TFT DISPLAY MODULE

Update: 2025/10/20

No.	Inch	TFT Part No.	Touch Panel Type	Resolution	Outline Size (mm)	Active Area (mm)	Viewing Angle	Controller IC	Interface
76	2.40"	BF2430-02 (transflective)	No	240*320	42.72(W) x 60.26(V) x 3.00(T)	36.72(H) x 48.96(V)	wide viewing	ST7789T3	MCU 16BIT
77		BF2437-01R	Resistive Touch Panel	240*320	42.72(H) x 60.26(V) x 3.60(T)	36.72(H) x 48.96(V)	12 o'clock	ST7789V	MCU 8BIT
78		BF2437-02	No	240*320	42.72(H) x 60.26(V) x 2.20(T)	36.72(H) x 48.96(V)	12 o'clock	ST7789V	MCU 8BIT
79		BF2440-01	No	240*320	42.72(H) x 60.26(V) x 2.20(T)	36.72(H) x 48.96(V)	12 o'clock	IL19341V	MCU
80		BF2440-01A	No	240*320	42.72(H) x 60.26(V) x 2.20(T)	36.72(H) x 48.96(V)	12 o'clock	IL19341V	MCU
81		BF2440-02	No	240*320	42.72(H) x 60.26(V) x 2.20(T)	36.72(H) x 48.96(V)	12 o'clock	ST7789V	MCU
82		BF2440-03	No	240*320	40.58(H) x 56.96(V) x 1.10(T)	36.72(H) x 48.96(V)	12 o'clock	ST7789Vi	MCU
83		BF2440-04R	Resistive Touch Panel	240*320	42.72(H) x 60.20(V) x 3.55(T)	36.72(H) x 48.96(V)	IPS	IL19341V	MCU
84	2.45"	BF24530-01	No	272*480	34.24(H) x 60.42(V) x 2.04(T)	36.19(H) x 53.28(V)	IPS	ST77903-G5	RGB
85	2.47"	BF24735-01	No	480*480	69.19(H) x 71.74(V) x 2.45(T)	62.64φ (round)	IPS	HX8379-C	MIPI
86	2.60"	BF2637-01	No	240*320	46.00(H) x 64.00(V) x 2.25(T)	39.60(H) x 52.80(V)	12 o'clock	IL19325C	MCU
87	2.70"	BF2740-01	No	960*240	39.10(H) x 67.50(V) x 2.43(T)	33.06(H) x 58.80(V)	3 o'clock	IL18961	SPI/RGB
88	2.80"	BF2818-01	No	240*320	50.00(H) x 69.20(V) x 2.45(T)	43.20(H) x 57.60(V)	12 o'clock	ST7789V3	SPI 4W
89		BF2818-01P	No	240*320	50.00(H) x 86.00(V) x 6.00(T)	43.20(H) x 57.60(V)	12 o'clock	ST7789V3	SPI 4W
90		BF2830-01	No	240*320	49.90(H) x 66.10(V) x 2.40(T)	43.20(H) x 57.60(V)	IPS	ST7789V2-G4-A	MCU
91		BF2830-02	No	240*320	50.00(H) x 69.20(V) x 2.25(T)	43.20(H) x 57.50(V)	IPS	ST7789	MCU
92		BF2830-03	No	240*320	50.00(H) x 69.20(V) x 2.45(T)	43.20(H) x 57.60(V)	12 o'clock	ST7789V	MCU
93		BF2830-03C	Capacitive Touch Panel	240*320	55.50(H) x 81.60(V) x 3.93(T)	43.20(H) x 57.60(V)	12 o'clock	ST7789V	MCU
94		BF2830-04	No	240*320	46.30(H) x 65.05(V) x 2.15(T)	43.20(H) x 57.60(V)	IPS	ST7789P3	MCU
95		BF2830-04C	Capacitive Touch Panel	240*320	53.70(H) x 72.20(V) x 3.60(T)	43.20(H) x 57.60(V)	IPS	ST7789P3	MCU
96		BF2835-01	No	240*320	50.00(H) x 69.20(V) x 2.45(T)	43.20(H) x 57.60(V)	12 o'clock	ST7789V	SPI/MCU
97		BF2837-01	No	240*320	50.00(H) x 69.20(V) x 2.45(T)	43.20(H) x 57.60(V)	12 o'clock	ST7789V2	MCU
98		BF2840-01R	Resistive Touch Panel	240*320	50.00(H) x 69.20(V) x 3.65(T)	43.20(H) x 57.60(V)	12 o'clock	ST7789V	SPI/MCU
99		BF2840-03	No	480*480	73.37(H) x 76.82(V) x 2.20(T)	70.13 φ (round)	IPS	ST7701S	SPI 3W + 18RGB
100		BF2840-05	No	240*320	50.00(H) x 69.20(V) x 2.30(T)	43.20(H) x 57.60(V)	12 o'clock	ST7789V-G4	MCU 8/16BIT
101		BF2840-06	No	480*640	47.00(H) x 66.50(V) x 1.80(T)	43.20(H) x 57.60(V)	IPS	ST7701S	MIPI
102		BF2845-01	No	240*320	50.00(H) x 69.20(V) x 2.45(T)	43.20(H) x 57.60(V)	12 o'clock	ST7789V	MCU
103		BF2845-02CL	Capacitive Touch Panel	240*320	50.00(H) x 69.20(V) x 4.40(T)	43.20(H) x 57.60(V)	12 o'clock	ST7789V (CTP FT5346)	SPI/MCU
104		BF2850-01	No	240*320	50.00(H) x 69.20(V) x 2.30(T)	43.20(H) x 57.50(V)	IPS	ST7789V	SPI/MCU
105		BF2850-01R	Resistive Touch Panel	240*320	50.00(H) x 69.20(V) x 3.55(T)	43.20(H) x 57.50 (V)	IPS	ST7789V	SPI/MCU
106	BF2850-04	No	240*320	50.00(H) x 69.20(V) x 2.30(T)	43.20(H) x 57.60 (V)	12 o'clock	ST7789V-G4	SPI/MCU	
107	2.85"	BF28640-01	No	376*960	31.20(H) x 76.60(V) x 2.15(T)	26.51(H) x 68.08 (V)	IPS	ST7701S	MIPI
108	3.00"	BF3037-01	No	240*400	45.04(H) x 77.00(V) x 2.20(T)	39.24(H) x 65.40 (V)	IPS	R61509V	MCU
109		BF3040-01	No	480*854	42.20(H) x 74.20(V) x 2.10(T)	36.72(H) x 65.28(V)	IPS	ST7701S	MIPI
110		BF3040-02	No	480*854	42.70(H) x 74.70(V) x 2.10(T)	36.72(H) x 65.28(V)	IPS	GV9503V	RGB
111		BF3040-03	No	480*854	42.70(H) x 74.70(V) x 2.10(T)	36.72(H) x 65.28(V)	IPS	ST7701S	RGB
112	3.10"	BF3112-01	No	376*960	31.10 (H) x 81.10 (V) x 2.37(T)	28.99(H) x 74.02(V)	IPS	ST7701S	MIPI
113		BF3112-02	No	376*960	31.10 (H) x 81.10 (V) x 2.37(T)	28.99(H) x 74.02(V)	IPS	NV3049E	MIPI
114		BF3212-01	No	240*320	52.28 (H) x 72.50 (V) x 2.35(T)	47.88(H) x 63.84(V)	9 o'clock	ST7789V	SPI 4W
115	3.20"	BF3218-01	No	240*320	52.80 (H) x 75.00 (V) x 2.50(T)	47.88(H) x 63.84(V)	12 o'clock	ST7789V2	SPI 4W
116		BF3220-01	No	240*320	55.04(H) x 77.70(V) x 2.50(T)	48.60(H) x 64.80(V)	12 o'clock	ST7789V3	SPI 4W
117		BF3225-01	No	240*320	52.80(H) x 75.00(V) x 2.50(T)	47.88(H) x 63.84(V)	9 o'clock	ST7785M	MIPI
118		BF3232-01	No	240*320	55.04(H) x 77.70(V) x 3.76(T)	48.60(H) x 64.80(V)	12 o'clock	IL19341V	MCU
119	3.40"	BF3430-01	No	412*960	36.54(H) x 85.87(V) x 1.48(T)	33.99(H) x 79.20(V)	IPS	ST7701S	RGB
120		BF3440-01	No	800*800	94.90(H) x 96.95(V) x 2.26(T)	87.60 φ (round)	IPS	NV3052CGRB	RGB
121		BF3440-02	No	800*800	94.90(H) x 96.95(V) x 2.26(T)	87.60 φ (round)	IPS	/	MIPI
122	3.50"	BF3516-01	No	320*480	54.66(H) x 82.94(V) x 2.15(T)	48.96(H) x 73.44(V)	12 o'clock	IL19488	MIPI
123		BF3524-01	No	240*320	54.50(H) x 83.00(V) x 2.15(T)	51.27(H) x 68.36(V)	IPS	GC9307N	MCU
124		BF3524-02	No	320*480	54.50(H) x 83.05(V) x 2.15(T)	48.96(H) x 73.44(V)	IPS	ST7796U	MCU 8BIT / SPI 4W
125		BF3539-01	No	320*480	54.50(H) x 83.05(V) x 2.15(T)	48.96(H) x 73.44(V)	IPS	ST7796U	MCU
126		BF3540-01R	Resistive Touch Panel	320*480	54.48(H) x 84.71(V) x 3.20(T)	48.96(H) x 73.44(V)	12 o'clock	IL19488	SPI/MCU
127		BF3540-01C	Capacitive Touch Panel	320*480	54.46(H) x 82.94(V) x 2.82(T)	48.96(H) x 73.44(V)	IPS	ST7796U	SPI/MCU
128		BF3540-02	No	320*480	54.48(H) x 82.94(V) x 2.25(T)	48.96(H) x 73.44(V)	12 o'clock	IL19488	SPI/MCU
129		BF3540-03	No	320*480	54.50(H) x 83.05(V) x 2.15(T)	48.96(H) x 73.44(V)	IPS	ST7365P	MCU
130		BF3540-04	No	320*480	54.48(H) x 84.71(V) x 2.00(T)	48.96(H) x 73.44(V)	12 o'clock	IL19488	SPI/MCU
131		BF3540-05	No	320*480	54.46(H) x 82.94(V) x 2.32(T)	48.96(H) x 73.44(V)	IPS	ST7796U	SPI/MCU
132		BF3540-05C	Capacitive Touch Panel	320*480	60.50(H) x 92.00(V) x 3.74(T)	48.96(H) x 73.44(V)	IPS	ST7796U	SPI/MCU
133		BF3554-01	No	320*240	76.90(H) x 63.90(V) x 3.20(T)	70.08(H) x 52.56(V)	IPS	ST7272A	RGB
134	BF3554-01R	Resistive Touch Panel	320*240	76.90(H) x 63.90(V) x 4.40(T)	70.08(H) x 52.56(V)	IPS	ST7272A	RGB	
135	BF3554-02	No	320*240	76.84(H) x 63.84(V) x 3.32(T)	70.08(H) x 52.56(V)	12 o'clock	HX8238D	RGB	
136	3.60"	BF3630-01	No	544*506	95.46(H) x 91.81(V) x 2.30(T)	89.76(H) x 83.49(V)	IPS	ST72566	LVDS
137		BF3630-02	No	544*506	95.46(H) x 91.81(V) x 2.30(T)	89.76(H) x 83.49(V)	IPS	ST72566	LVDS
138		BF3640-01	No	544*506	98.88(H) x 94.12(V) x 7.70(T)	89.76(H) x 83.49(V)	IPS	ST72566	RGB
139	3.98"	BF39824-01	No	320*480	60.00(H) x 92.25(V) x 2.20(T)	48.96(H) x 73.44(V)	IPS	IL19488	MCU
140	4.00"	BF4039-01	No	720*720	110.00(H) x 113.49(V) x 7.80(T)	101.52 φ (round)	IPS	ICNL9707	MIPI
141		BF4040-01	No	480*800	56.34(H) x 95.70(V) x 2.20(T)	51.84(H) x 86.40(V)	12 o'clock	ST7701	MCU 16BIT
142		BF4040-02	No	480*800	56.74(H) x 97.00(V) x 2.00(T)	51.84(H) x 86.40(V)	IPS	ST7701	/
143		BF4040-03	No	480*800	55.44(H) x 96.17(V) x 2.30(T)	51.84(H) x 86.40(V)	IPS	GC9503CV	MIPI
144		BF4040-04	No	480*800	56.34(H) x 95.70(V) x 2.10(T)	51.84(H) x 86.40(V)	12 o'clock	IL19806G	MCU
145		BF4040-05	No	480*800	56.74(H) x 97.00(V) x 2.00(T)	51.84(H) x 86.40(V)	IPS	ST7701	MCU
146		BF4040-06	No	480*480	74.66(H) x 76.54(V) x 2.14(T)	71.86(H) x 70.18(V)	IPS	ST7701S	RGB
147		BF4040-06L	No	480*480	84.00(H) x 84.00(V) x 3.09(T)	71.86(H) x 70.18(V)	IPS	ST7701S	RGB
148		BF4040-07C	Capacitive Touch Panel	480*480	83.40(H) x 83.40(V) x 3.60(T)	71.86(H) x 70.18(V)	IPS	GC9503	SPI/MCU
149		BF4040-08	No	480*480	74.66(H) x 76.54(V) x 2.14(T)	71.86(H) x 70.18(V)	IPS	ST7701S	SPI/MCU
150	4.10"	BF4112-01	No	720*1280	54.50(H) x 98.91(V) x 1.65(T)	51.19(H) x 91.01(V)	IPS	IL19881C	MIPI
151	4.30"	BF4340-01	No	480*272	105.50(H) x 67.20(V) x 2.85(T)	95.04(H) x 53.86(V)	6 o'clock	ST7282	RGB
152		BF4340-01R	Resistive Touch Panel	480*272	105.50(H) x 67.20(V) x 4.00(T)	95.04(H) x 53.86(V)	6 o'clock	ST7282	RGB
153		BF4340-02C	Capacitive Touch Panel	480*272	105.50(H) x 67.20(V) x 4.50(T)	95.04(H) x 53.86(V)	6 o'clock	ST7282	RGB
154		BF4340-03	No	480*272	105.40(H) x 67.10 (V) x 2.97(T)	95.04(H) x 53.86(V)	IPS	NV3047	RGB

STANDARD TFT DISPLAY MODULE

Update: 2025/10/20

No.	Inch	TFT Part No.	Touch Panel Type	Resolution	Outline Size (mm)	Active Area (mm)	Viewing Angle	Controller IC	Interface
155	4.30"	BF4340-03R	Resistive Touch Panel	480*272	105.40(H) x 67.10 (V) x 4.12(T)	95.04(H) x 53.86(V)	IPS	NV3047	RGB
156		BF4340-04	No	480*272	105.40(H) x 67.10 (V) x 3.00(T)	95.04(H) x 53.86(V)	12 o'clock	ST7282 / ILI6485 / NV3047	RGB
157		BF4340-04A	No	480*272	105.40(H) x 67.10 (V) x 3.00(T)	95.04(H) x 53.86(V)	12 o'clock	ST7282 / ILI6485 / NV3047	RGB
158		BF4340-04L	No	480*272	115.00(H) x 84.00 (V) x 5.30(T)	95.04(H) x 53.86(V)	12 o'clock	ST7282 / ILI6485 / NV3047	RGB
159		BF4340-05C	Capacitive Touch Panel	480*272	105.40(H) x 67.10 (V) x 4.50(T)	95.04(H) x 53.86(V)	IPS	ST7262 / ST7283	RGB
160		BF4340-06C	Capacitive Touch Panel	480*272	105.50(H) x 67.20 (V) x 4.45(T)	95.44(H) x 53.86(V)	6 o'clock	NV3047	RGB
161		BF4340-08	No	800*480	105.50(H) x 67.20 (V) x 3.00(T)	95.44(H) x 53.86(V)	IPS	ST7262	RGB
162		BF4340-08A	No	800*480	105.50(H) x 67.20 (V) x 3.00(T)	95.44(H) x 53.86(V)	IPS	ST7262	RGB
163		BF4340-08C	Capacitive Touch Panel	800*480	105.50(H) x 67.20 (V) x 4.35(T)	95.44(H) x 53.86(V)	IPS	ST7262	RGB
164		BF4340-10	No	480*272	105.40(H) x 67.10 (V) x 2.97(T)	95.04(H) x 53.86(V)	IPS	NV3047	RGB
165		BF4340-10R	Resistive Touch Panel	480*272	105.40(H) x 67.10 (V) x 4.12(T)	95.04(H) x 53.86(V)	IPS	NV3047	RGB
166		BF4340-11	No	480*800	60.05(H) x 102.50 (V) x 1.86(T)	56.16(H) x 93.60(V)	IPS	ST7701S	MIPI
167		BF4340-12R	Resistive Touch Panel	480*272	105.50(H) x 67.20 (V) x 4.30(T)	95.04(H) x 53.86(V)	IPS	ST7283	RGB
168		BF4340-14C	Capacitive Touch Panel	800*480	105.50(H) x 67.20 (V) x 4.30(T)	98.30(H) x 57.10(V)	IPS	ST7262	RGB
169		BF4340-17C	Capacitive Touch Panel	480*272	105.50(H) x 67.10 (V) x 3.00(T)	98.30(H) x 57.10(V)	IPS	ST7283	RGB
170		4.45"	BF44540-01	No	480*854	60.00(H) x 109.00 (V) x 2.15(T)	55.44(H) x 98.64(V)	IPS	GC9503CV
171	4.58"	BF45840-01	No	320*960	40.37(H) x 117.90 (V) x 2.08(T)	36.77(H) x 110.30(V)	IPS	ST7701S	SPI 3W + RGB 18BIT
172	4.96"	BF49640-01C(incell)	Capacitive Touch Panel	480*854	65.78(H) x 119.26 (V) x 2.35(T)	61.78(H) x 109.91(V)	IPS	ST7102	RGB
173	5.00"	BF5025-01C	Capacitive Touch Panel	720*1280	76.26(H) x 136.30(V) x 2.90(T)	61.78(H) x 109.82(V)	IPS	ILI9881C	MIPI
174		BF5035-01	No	720*1280	64.60(H) x 118.50(V) x 1.64(T)	61.78(H) x 110.42(V)	IPS	ILI9881C-04	MIPI
175		BF5035-01CL	Capacitive Touch Panel	720*1280	64.60(H) x 118.50(V) x 2.95(T)	61.78(H) x 110.42(V)	IPS	ILI9881C-04	MIPI
176		BF5039-01C	Capacitive Touch Panel	720*1280	72.30(H) x 126.50(V) x 2.87(T)	61.78(H) x 109.82(V)	IPS	GC9702	MIPI
177		BF5040-01	No	480*272	120.70(H) x 75.80(V) x 3.00 (T)	110.88(H) x 62.83(V)	6 o'clock	ILI6482	RGB
178		BF5040-02	No	480*960	59.76(H) x 120.63(V) x 2.01(T)	56.16(H) x 112.32(V)	IPS	GC9503VC	MIPI-DSI
179		BF5040-03	No	800*480	120.80(H) x 75.95(V) x 3.00(T)	108.00(H) x 64.80(V)	6 o'clock	ILI6122+HLI5960	RGB
180		BF5040-04	No	800*480	120.20(H) x 75.30(V) x 2.75(T)	108.00(H) x 64.80(V)	IPS	ST7262	RGB
181		BF5040-05	No	800*480	120.70(H) x 75.80(V) x 2.80(T)	108.00(H) x 64.80(V)	IPS	ST72568	LVDS
182		BF5040-05C	Capacitive Touch Panel	800*480	120.70(H) x 75.80(V) x 4.50(T)	108.00(H) x 64.80(V)	IPS	ST72568	RGB
183		BF5040-06	No	800*480	120.70(H) x 75.80(V) x 2.83(T)	108.00(H) x 64.80(V)	IPS	ST7262	RGB
184		BF5040-07	No	800*480	120.70(H) x 75.80(V) x 2.83(T)	108.00(H) x 64.80(V)	IPS	ST7262	RGB
185		BF5040-08R	Resistive Touch Panel	800*480	120.70(H) x 74.00(V) x 3.95(T)	108.00(H) x 64.80(V)	IPS	ST7262	RGB
186		BF5040-08RA	Resistive Touch Panel	800*480	120.68(H) x 75.84(V) x 4.62(T)	108.00(H) x 64.80(V)	IPS	ST7282-C or compatible	RGB
187		BF5040-11	No	720*1280	66.40(H) x 120.05(V) x 1.67(T)	61.78(H) x 109.82(V)	IPS	ILI9881C	MIPI
188		BF5040-12	No	480*854	66.40(H) x 120.05(V) x 2.10(T)	61.56(H) x 109.50(V)	IPS	ST7701S	MIPI
189	BF5040-18	No	800*480	120.70(H) x 75.80(V) x 3.10(T)	108.00(H) x 64.80(V)	6 o'clock	HX8264-D05+HX8664B	/	
190	BF5050-01	No	1080*1080	132.21(H) x 136.53(V) x 1.98(T)	127.01 ϕ (round)	IPS	HX8399C	MIPI	
191	BF5050-02	No	800*480	121.05(H) x 78.95(V) x 7.30(T)	108.00(H) x 64.80(V)	IPS	ST7265	RGB	
192	BF5524-01	No	720*1280	128.62(H) x 70.82(V) x 1.88(T)	68.04(H) x 120.96(V)	IPS	ST7703	MIPI	
193	BF5534-01	No	1080*1920	70.65(H) x 129.20(V) x 1.52(T)	68.04(H) x 120.96(V)	IPS	HX8399A	MIPI	
194	BF5539-01	No	720*1280	71.04(H) x 129.56(V) x 1.63(T)	67.93(H) x 120.77(V)	IPS	ILI9881C	LVDS	
195	5.60"	BF5650-01	No	640*480	126.50(H) x 100.00(V) x 5.70(T)	112.90(H) x 84.67(V)	12 o'clock	ILI6192A-01&ILI5481A	RGB
196	5.70"	BF5730-01	No	720*1440	67.22(H) x 136.40(V) x 1.44(T)	64.80(H) x 129.60(V)	IPS	FT8006S	MIPI
197		BF5740-02R	Resistive Touch Panel	640*480	127.00(H) x 98.43(V) x 6.95(T)	115.20(H) x 86.40(V)	IPS	JD9168S	RGB
198	6.10"	BF6140-01	No	280*1424	35.39(H) x 168.81(V) x 8.00(T)	29.99(H) x 152.51(V)	IPS	ST7703i	MIPI
199	6.20"	BF6240-01	No	1024*600	155.20(H) x 88.20(V) x 4.80(T)	137.48(H) x 77.23(V)	IPS	JD9168	MIPI
200	6.70"	BF6740-01	No	1024*500	161.41(H) x 80.66(V) x 6.40(T)	154.21(H) x 70.50(V) (ellipse)	IPS	JD9168	LVDS
201	6.75"	BF67530-01	No	1024*600	163.00(H) x 91.00(V) x 4.70(T)	151.76(H) x 79.80(V)	IPS	JD9168	MIPI
202		BF67540-01	No	1024*600	163.00(H) x 91.00(V) x 4.70(T)	151.76(H) x 79.80(V)	IPS	JD9168	LVDS
203	6.86"	BF68640-01	No	440*1280	66.41(H) x 177.19 (V) x 4.55(T)	60.22(H) x 160.59(V)	IPS	HX8394F	MIPI
204		BF68640-02	No	480*1280	66.41(H) x 177.19 (V) x 4.45(T)	60.22(H) x 160.59(V)	IPS	FL7707N	MIPI
205		BF68640-01C	Capacitive Touch Panel	440*1280	66.41(H) x 177.19 (V) x 5.93(T)	60.22(H) x 160.59(V)	IPS	HX8394+GT911	MIPI
206		BF68640-03	No	480*1280	66.70(H) x 181.00 (V) x 4.50(T)	60.19(H) x 160.51(V)	IPS	NV3051F1	MIPI
207	BF68640-04	No	480*1280	66.70(H) x 181.00 (V) x 4.70(T)	60.22(H) x 160.59(V)	IPS	ICN9707	MIPI	
208	6.90"	BF6940-01	No	280*1424	38.20(H) x 181.47(V) x 3.45(T)	33.60(H) x 170.88(V)	IPS	JD9365DA-H3	MIPI
209	7.00"	BF7019-01C	No	1024*600	165.00(H) x 124.29(V) x 18.50(T)	154.21(H) x 85.92(V)	IPS	/	HDMI
210		BF7026-01	No	1024*600	163.80(H) x 97.00(V) x 2.55(T)	154.21(H) x 85.92(V)	6 o'clock	EK79007AD+K73217BCGA	MIPI
211		BF7030-01	No	1024*600	164.90(H) x 100.00(V) x 3.10(T)	154.08(H) x 85.92(V)	IPS	EK79007AD+EK73217	MIPI
212		BF7030-02	No	1024*600	163.80(H) x 97.00(V) x 3.60(T)	154.21(H) x 85.92(V)	IPS	EK79007AD3 + EK7321BCGA	MIPI
213		BF7030-03	No	1024*600	164.90(H) x 100.00(V) x 5.50(T)	154.21(H) x 85.92(V)	6 o'clock	/	MIPI
214		BF7030-04C	Capacitive Touch Panel	1024*600	176.00(H) x 108.00(V) x 4.75(T)	154.21(H) x 85.92(V)	IPS	JD9165	MIPI
215		BF7030-05	No	1024*600	164.00(H) x 97.10(V) x 2.55(T)	154.21(H) x 85.92(V)	IPS	/	MIPI
216		BF7031-01	No	800*1280	99.8(H) x 152.32(V) x 2.60(T)	94.2(H) x 150.72(V)	IPS	ILI9881C	MIPI
217		BF7040-01	No	800*480	164.90(H) x 100.00(V) x 3.50(T)	153.84(H) x 85.63(V)	12 o'clock	EK9716BD4 + EK73002AB2	RGB
218		BF7040-01R	Resistive Touch Panel	800*480	164.90(H) x 100.00(V) x 4.90(T)	153.84(H) x 85.63(V)	12 o'clock	EK9716BD4 + EK73002AB2	RGB
219		BF7040-02	No	800*480	165.00(H) x 104.09(V) x 5.30(T)	154.40(H) x 91.44(V)	12 o'clock	HX8262 + HX8678	RGB
220		BF7040-03	No	800*480	164.90(H) x 100.00(V) x 3.30(T)	154.08(H) x 85.92(V)	6 o'clock	EK9713CA+EK73002	RGB
221		BF7040-04	No	1024*600	164.90(H) x 100.00(V) x 3.50(T)	153.60(H) x 90.00(V)	IPS	JD9165A	RGB
222		BF7040-05	No	1024*600	164.90(H) x 100.00(V) x 3.50(T)	153.60(H) x 90.00(V)	IPS	/	LVDS
223		BF7040-05C	Capacitive Touch Panel	1024*600	164.90(H) x 100.00(V) x 5.20(T)	153.60(H) x 90.00(V)	IPS	/	LVDS
224		BF7040-06	No	1024*600	164.00(H) x 97.00(V) x 3.50(T)	154.22(H) x 85.92(V)	IPS	HX8282+HX8696	RGB
225	BF7040-12	No	1024*600	164.90(H) x 100.00(V) x 5.40(T)	154.21(H) x 85.92(V)	IPS	/	LVDS	
226	BF7050-01	No	800*480	164.90(H) x 100.00(V) x 2.80(T)	153.84(H) x 85.63(V)	12 o'clock	EK9716BD4, EK73002AB2	RGB	
227	BF7050-01R	Resistive Touch Panel	800*480	164.90(H) x 100.00(V) x 5.00(T)	153.84(H) x 85.63(V)	12 o'clock	EK9716BD4, EK73002AB2	RGB	
228	BF7050-02	No	1024*600	164.90(H) x 100.00(V) x 3.50(T)	154.08(H) x 85.92(V)	IPS	JD79001DCGB, JD73215BCGA	RGB	
229	BF7050-02C	Capacitive Touch Panel	1024*600	164.90(H) x 100.00(V) x 4.25(T)	154.08(H) x 85.92(V)	IPS	JD79001DCGB, JD73215BCGA	RGB	
230	BF7050-03	No	1024*600	164.90(H) x 100.00(V) x 2.80(T)	154.08(H) x 85.92(V)	IPS	JD79001DCGB, JD73215BCGA	RGB	
231	BF7050-03C	Capacitive Touch Panel	1024*600	164.90(H) x 100.00(V) x 4.25(T)	154.08(H) x 85.92(V)	IPS	JD79001DCGB, JD73215BCGA	RGB	
232	BF7050-04	No	1024*600	164.90(H) x 100.00(V) x 4.25(T)	154.08(H) x 85.92(V)	IPS	JD79001DCGB, JD73215BCGA	RGB	
233	BF7050-05	No	1024*600	164.90(H) x 100.00(V) x 3.50(T)	154.21(H) x 85.92(V)	IPS	/	RGB	

STANDARD TFT DISPLAY MODULE

Update: 2025/10/20

No.	Inch	TFT Part No.	Touch Panel Type	Resolution	Outline Size (mm)	Active Area (mm)	Viewing Angle	Controller IC	Interface
234	7.00"	BF7050-05C	Capacitive Touch Panel	1024*600	164.90(H) x 100.00(V) x 5.10(T)	154.21(H) x 85.92(V)	IPS	/	RGB
235		BF7050-06	No	1024*600	164.90(H) x 100.00(V) x 3.50(T)	154.21(H) x 85.95(V)	IPS	/	RGB
236		BF7050-07	No	800*480	164.90(H) x 100.00(V) x 5.00(T)	153.84(H) x 85.63(V)	6 o'clock	EK9716BD4, EK73002AB2	RGB
237		BF8031-01	No	800*1280	114.54 (H) x 184.04(V) x 2.70(T)	107.64(H) x 172.22(V)	IPS	/	MIPI
238		BF8040-01	No	1024*768	174.30(H) x 135.60(V) x 5.50(T)	162.05(H) x 121.54(V)	IPS	HW8282A02, HX8695	LVDS
239	8.00"	BF8050-01	No	800*600	182.80(H) x 141.00(V) x 5.50(T)	162.00(H) x 121.00(V)	12 o'clock	HX8264D02, HX8696	RGB
240		BF8050-01A	No	800*600	182.90(H) x 141.00(V) x 5.50(T)	162.00(H) x 121.00(V)	12 o'clock	HX8264D02, HX8696	RGB
241		BF8050-01B	No	800*600	182.90(H) x 141.00(V) x 5.50(T)	162.00(H) x 121.00(V)	12 o'clock	HX8264D02, HX8696	RGB
242		BF8050-01D	No	800*600	182.80(H) x 141.00(V) x 5.50(T)	162.00(H) x 121.00(V)	IPS	JD9165	RGB
243		BF8050-01E	No	800*600	182.80(H) x 141.00(V) x 5.50(T)	162.00(H) x 121.00(V)	IPS	JD9165	RGB
244		BF8050-02	No	800*480	192.80(H) x 116.90(V) x 6.40(T)	176.64(H) x 99.36(V)	12 o'clock	FH12A-50S-0.5H	RGB
245		BF8050-02R	Resistive Touch Panel	800*480	192.80(H) x 116.90(V) x 7.90(T)	176.64(H) x 99.36(V)	12 o'clock	FH12A-50S-0.5H	RGB
246		BF8050-04	No	800*480	192.80(H) x 116.90(V) x 6.40(T)	176.64(H) x 99.36(V)	12 o'clock	/	RGB
247	8.80"	BF8840-01	No	480*1920	64.30(H) x 231.30(V) x 4.80(T)	218.88(H) x 54.72(V)	IPS	/	MIPI
248	9.00"	BF9024-01	No	1024*600	210.70(H) x 126.30(V) x 3.40(T)	196.61(H) x 114.15(V)	IPS	EK79007AD2, EK73217BCGA	MIPI
249		BF9060-01	No	1024*600	210.70(H) x 126.40(V) x 5.00(T)	196.61(H) x 114.15(V)	IPS	/	LVDS
250		BF9050-01	No	800*480	210.70(H) x 126.40(V) x 3.40(T)	198.00(H) x 111.696(V)	6 o'clock	NV3858GSG, NV1057GSA	RGB
251	9.35"	BF93540-01	No	1280*320	246.15(H) x 64.48(V) x 7.15(T)	232.32(H) x 64.48(V)	IPS	AV096XHQ-N10	MIPI
252		BF93540-03	No	1280*320	246.15(H) x 64.48(V) x 7.15(T)	232.32(H) x 64.48(V)	IPS	AV096XHQ-N10	MIPI
253	10.1"	BF10131-01	No	800*1280	143.00(H) x 228.60(V) x 2.60(T)	135.36(H) x 215.58(V)	IPS	IL19881C	MIPI
254		BF10140-02	No	1280*800	229.46(H) x 149.10(V) x 2.65(T)	216.96(H) x 135.60(V)	IPS	/	LVDS
255		BF10140-03	No	440*1920	64.98(H) x 266.39(V) x 7.25(T)	57.95(H) x 252.86(V)	IPS	IL19881C	MIPI
256		BF10140-04	No	1280*800	228.30(H) x 149.05(V) x 2.60(T)	216.96(H) x 135.60(V)	IPS	EK79202B	LVDS
257		BF10140-05	No	1280*800	229.46(H) x 149.10(V) x 4.50(T)	216.96(H) x 135.60(V)	IPS	/	LVDS
258		BF10140-05C	Capacitive Touch Panel	1280*800	229.46(H) x 149.10(V) x 4.48(T)	216.96(H) x 135.60(V)	IPS	/	LVDS
259		BF10145-01C (incell)	Capacitive Touch Panel	800*1280	160.00(H) x 250.00(V) x 3.64(T)	135.36(H) x 216.58(V)	IPS	JD9366TC	MIPI
260		BF10150-01	No	1024*600	235.00(H) x 143.00(V) x 5.00(T)	222.72(H) x 125.28(V)	IPS	HX8282A11, HX8696	RGB
261	BF10150-01A	No	1024*600	235.00(H) x 143.00(V) x 5.00(T)	222.72(H) x 125.28(V)	IPS	HX8282A11, HX8696	RGB	
262	BF10150-02	No	1024*600	235.00(H) x 143.00(V) x 4.50(T)	222.72(H) x 125.28(V)	12 o'clock	/	RGB	
263	BF10150-03	No	1024*600	235.00(H) x 143.00(V) x 4.50(T)	222.72(H) x 125.28(V)	IPS	/	RGB	
264	BF10150-06C	Capacitive Touch Panel	1024*600	235.00(H) x 143.00(V) x 7.08(T)	222.72(H) x 125.28(V)	IPS	/	RGB	
265	10.4"	BF10430-01	No	1024*768	227.53 (H) x 175.80 (V) x 6.50 (T)	210.432 (H) x 157.824 (V)	IPS	/	LVDS
266		BF10430-02	No	1024*768	225.50(H) x 176.30(V) x 8.70(T)	210.4 (H) x 157.8 (V)	IPS	/	LVDS
267		BF10460-01	No	800*600	228.40(H) x 175.40(V) x 6.20(T)	211.20(H) x 158.40(V)	12 o'clock	HX8282, HX8696	RGB
268		BF10460-02R	Resistive Touch Panel	800*600	228.50(H) x 175.50(V) x 6.00(T)	211.20(H) x 158.40(V)	6 o'clock	S-HX8282-A02, G-HX8696-A01	RGB
269	BF12120-01	No	1024*768	260.00(H) x 204.00(V) x 8.60(T)	245.76(H) x 184.32(V)	IPS	/	LVDS	
270	12.1"	BF12120-01C	Capacitive Touch Panel	1024*768	293.00(H) x 237.30(V) x 11.20(T)	245.76(H) x 184.32(V)	IPS	/	LVDS
271		BF12120-02	No	1024*768	260.00(H) x 204.00(V) x 8.70(T)	245.76(H) x 184.32(V)	IPS	/	/
272	12.3"	BF123P60-01	No	1920*720	307.00(H) x 126.00(V) x 7.20(T)	292.03(H) x 109.51(V)	IPS	HX8290-A-LT, HX8695-E-LT	/
273		BF12350-01	No	1920*720	308.10(H) x 130.00(V) x 7.55(T)	292.03(H) x 109.51(V)	IPS	/	LVDS
274		BF15020-01	No	1024*768	326.50(H) x 253.50(V) x 11.80 (T)	304.13(H) x 228.10(V)	12 o'clock	/	LVDS
275	15.0"	BF15020-02	No	1024*768	310.13(H) x 237.80(V) x 1.27 (T)	304.13(H) x 228.10(V)	IPS	/	LVDS
276		BF15020-02C	Capacitive Touch Panel	1024*768	390.00(H) x 315.00(V) x 11.90 (T)	304.13(H) x 228.10(V)	IPS	/	LVDS
277	15.6"	BF15630-01	No	1920*1080	326.50(H) x 213.70(V) x 1.06(T)	344.16(H) x 193.59(V)	IPS	/	EDP
278	21.5"	BF215030-01C	Capacitive Touch Panel	1920*1080	515.55(H) x 312.96(V) x 11.00(T)	476.05(H) x 267.79(V)	IPS	/	LVDS